

GREEN INDIA MISSION

MICRO PLAN FOR CHHIAHTLANG VILLAGE

Name of Forest Range : Serchhip
Name of Forest Division : Thenzawl
State : Mizoram

Executive Summary:

- (a) Introductory paragraph about the State
- (b) The Importance of L1 and L2 landscape selected
- (c) Scope of implementing GIM in L2 and L3 landscapes i.e. problems and analysis and drivers of degradation
- (d) Various processes and outcomes of planning and stakeholders consultation in preparation of perspective plan
- (e) Submissions and support activities proposed in the area
- (f) Livelihood issues and activities proposed
- (g) Details of cross-cutting interventions with special considerations for protection and improvement of catchments of hydrological importance
- (h) Any typical and outstanding features

Chapter 1

Introduction, Scope and Objectives

(h).1 About the State (Landscape - L1):

1.1.1 Introduction:

Mizoram was earlier a part of the British India since 1895. In 1898, the District called “Lushai Hills” was created with Aizawl as its headquarters. After independence in 1947, the District was renamed as “Mizo District” and also the Autonomous Mizo District Council was established on 25th April, 1952. Subsequently, Mizoram was given a Union Territory in 1972 and finally, it became the 23rd State of India on 20th February, 1987.

(h).1.2 Location, Extent and Topography:

Mizoram, which is one of the Seven Sister States in the North-Eastern India, is located between 21°56` and 24°35` N Latitude and 92°16` and 93°26`E Longitude. It shares the boundary with Assam and Manipur on the North, Myanmar on the East and the South, and Tripura and Bangladesh on the West. The long international boundary (about 630 miles) of Mizoram with Myanmar and Bangladesh makes it strategically located.

The geographical area of the State is 21,087 sq. km. with mostly hilly terrains. Most of the hills have moderate to steep slopes and are separated by rivers flowing either to the North or South direction. These rivers have created deep gorges between several hill ranges. In fact, Mizoram is “a land of rolling hills, valleys, rivers, and lakes” (Environment & Forest Department, 2010, p.5). The plains occupy comparatively a very small portion of the total geographical area and are mostly located at places such as Champhai, North Vanlaiphai etc. on the eastern part of the State.

(h).1.3 Climate:

The whole of Mizoram enjoys a pleasant climate with cool summer and moderate winter. The temperature varies from 11°C to 21°C during winter and 18°C to 29°C in summer. The State gets rainfall from both the North-East and the South-West Monsoon. It receives heavy rains from May to September. The average annual rainfall is about 254 cm. As such, the climate in Mizoram is conducive to conservation and sustainable development of forests.

(h).1.4 Soil:

The soil in Mizoram, in general, is fertile and rich in organic contents. However, the soil depth is found less at few places, particularly at very steep slopes, due to the effect of heavy run-off in degraded forests. The contents of potash and Phosphorus in the soil are low, whereas the content of Nitrogen is normally high because of the accumulation of organic matters over the years. The fertile soil is generally found at low to moderate slopes, on river banks and in the valleys. The soil at such places is responsive to the vigorous and healthy growth of the forests and thus supports rich biodiversity.

1.1.5 Demography:

The population of the State was 10,91,014 as per 2011 census, of which 5,52,339 (51 percent) are male and 5,38,765 (49 percent) are female. The population density has increased from 33 to 52 persons per sq. km. during the decade, 1999 - 2011. Most of the people in the State belong to several culturally-linked ethnic tribes which are collectively called “Mizos” (Mi: People, Zo: Hill). These

people are highly educated. Mizoram has a literacy rate of 91.58 %, which ranks it second among States in India. “Mizo” and “English” are the main languages spoken by the majority of the people.

1.1.6 Socio-economic life of the people:

Since signing the “Peace Accord” on 30th June 1986, the State has effectively implemented several developmental schemes. Peace and development have resulted into comparatively better Human Development Index (HDI). The HDI in Mizoram was found 0.67, the highest among the north-eastern States and more than the national average (Government of Tripura, 2007, p.28).

Agriculture is the dominant source of income and employment for the people in Mizoram. As per 2001 census, 61 percent of the working population in the State was dependent on agriculture. In rural areas, most of the people are engaged in “Jhumming” (shifting cultivation). 89,454 households, 57.85 percent of total 1,54,643 households, were cultivators and further, 78,195 households, 87 percent of all cultivator households, were practicing shifting cultivation (Government of Mizoram, 2004, p.17). The “Jhumming” practice has adversely affected the rich forest cover of the State. Planned efforts are now being made to control and transform the practice of shifting cultivation into settled agriculture. Technical and financial assistance is being given to the rural people enabling them to leave the practice of shifting cultivation and get engaged in other sustainable livelihood activities such as horticulture, piggery, settled cultivation etc.

(h).2 The forests in Mizoram:

1.2.1 Forest cover;

A large area - 19,277 sq. kms. (91.44 percent of the State’s total geographical area) - is covered under forests i.e. Forest and Tree cover (Forest Survey of India, 2013). However, the forests have suffered serious depletion and degradation due to the traditional practice of shifting cultivation, uncontrolled fire, unregulated felling etc. As per the “India State of Forest Report 2013” published by the Forest Survey of India, the State has 13,016 sq. kms. open forests which is 67.70 % of the total forest cover and 61.74 % of the total geographical area. The density-class of forests found in the State has been shown below graphically in Figure 1.



(h).2.2 Forest types:

The forests in Mizoram are very rich in biodiversity. As many as 6 important forest types have been reported to occur in the State. Source: Forest Survey of India, 2013. These are:-

- Cachar Tropical Se
The important species are *Dipterocarpus turbinatus*, *D. tuberculatus*, *Terminalia chebula*, *Emblica spp*, *Careyaarborea* etc. found in all districts of the State.


- Secondary Moist Bamboo Brakes (2/2S1): Dominant species of bamboo like *Melocannabambusoides*, *Dendrocalamushamiltonii* etc. are present.
- Pioneer Euphorbiaceous Scrub (2B/2S1): It is generally found in degraded forests and exposed lands present on higher slopes and on top of the hills. It has quick growing species like *Macaranga* spp., *Mallotus* spp. etc. This type is found in all Districts except Kolasib.
- East Himalayan Moist Mixed Deciduous Forest (3C/C3b) :*Schimawallichii*, *Syzigiumcumini*, *Albizziaprocera*, *Dilleniapentagyna*, *Artocarpuslakoocha*, *Terminaliaballerica*, *T. chebula*, *Lagerstroemia parviflora*, *Anthocephalouskadamba* etc. are the characteristic species of this type. It is found in all Districts of Mizoram.
- East Himalayan Subtropical Wet Hill Forest (8B/C1): Major characteristic species are *Quercusvercus*, *Q. serrata*, *Castanopsis spp*, *Litsea spp*. *Machilus spp* etc. This forest type is found in Kolasib District.
- Assam Subtropical Pine Forest (9/C2): It is mostly dominated by the species *Pinus kesiya* with other associates like *Quercus* spp, *Schimawallichii*, *Rhododendron* spp etc. This forest type is found mainly in Champhai district of the State.

(h).2.3 Bamboo Resources :

Nature has endowed Mizoram with valuable Bamboo Forests. Bamboos - Green Gold for the State - are one of the most important natural resources which provide immense economic and environmental benefits for the local people. Bamboos are used for multiple purposes as the culms are straight and strong but light. These are used extensively in house construction particularly in the rural areas, as food, and for making various household items such as stools, benches, kitchen utensils, agricultural implements, and fishing devices. Further, bamboo acts as an effective soil binder protecting the slopes from erosion through its deep and extensive root system.

Bamboos are found abundantly in the State mainly along river banks and on abandoned jhumland. Both the clump forming and the non-clump forming species occur naturally in most parts of the State except on the higher altitudes of its eastern region. A large area of about 9,245 sq. kms., which is 44 percent of the State's geographical area, is covered under "Bamboo Forests" (Forest Survey of India, 2011, p.61). In spite of being small in size, Mizoram contributes significantly to the country's growing stock of bamboos.

Bamboo resources of the country have been assessed by the Forest Survey of India (FSI), Dehradun. As per the India State of Forest Report 2011 (Chapter 6) published by the FSI, total number of culms in recorded forests of Mizoram has been estimated to be 2,205 million as against 23,297 million estimated at the national level. Similarly, the total estimated green weight of bamboo culms has been estimated to be 13,187,000 tonnes for the recorded forests of Mizoram as against 1,69,312,000 tonnes for the whole country. The growing stock of bamboos in recorded forests of Mizoram as against the same for the whole country has been shown below graphically.



Area under “pure bamboo brakes” in Mizoram was found the highest among all the States/Union Territories of the country (226 sq.kms.). The dense bamboo forests also cover a large area in the State of Mizoram. The dense bamboo across all the States was found maximum in Arunachal Pradesh (8,681 sq. kms.) followed by Mizoram (6,116 sq.kms.).

The bamboo forests in Mizoram are also rich in bio-diversity. 35 species of bamboos under 9 genera have been reported to grow in the State (E & F Department, 2010). *Melocanna baccifera* (locally called “Mautak”), a non-clump forming species, is the prominent species found in the State. Other dominant species are *Dendrocalamus hamiltonii* (Phulrua), *D. longispachus* (Rawnal), *Bambusa tulda* (Rawthing), *B. longispiculata* (Rawthing chi), and *Arundinaria callosa* (Phar). These species do not occur in large proportions like Mautak but are commercially valuable.

(h).2.4 Areas under Notified Forests in the State:

The notified forests include (1) Riverine Reserve Forests (1832.50 sq.kms), (2) Innerline Reserved Forests (570 sq. kms.), (3) Roadside Reserve Forests (97.20 sq.kms.), (4) Other Reserve Forests (1963.63 sq. kms.) and (5) Protected Areas (1240.75 sq.kms) under the ownership of the State Government as well as 2562 sq. kms. under the ownership of District Councils. Thus, about 39 percent of the total geographical area (8266.08 sq.kms.) is covered under “notified forests” in the State of Mizoram.

1.2.5 Protected Areas:

The Environment and Forest Department, Govt. of Mizoram has taken praiseworthy initiatives for preservation of wildlife by constituting one Tiger Reserve, two National Parks and seven Wildlife Sanctuaries. These are (1) Dampa Tiger Reserve, (2) Murlen National Park, (3) Phawngpui National Park, (4) Ngengpui Wildlife Sanctuary, (5) Lengteng Wildlife Sanctuary, (6) Khawnglung Wildlife Sanctuary, (7) Tawi Wildlife Sanctuary, (8) Thorangtlang Wildlife Sanctuary, (9) Pualreng Wildlife Sanctuary, and (10) Tokalo Wildlife Sanctuary. The area set aside for long-term wildlife conservation is 1728.75 sq. km. which is more than 8 % of the State’s geographical area.

The network of protected areas provides healthy habitats for many wild animals, birds, and reptiles. Some important species of mammals found in the State are Tiger, Elephant, Malayan Sun Bear, Wild dog, Brush Tailed Porcupine, Gour, Leopard Cat, Marbled Cat, Golden Cat, Clouded Leopard, Serow etc. The forests of Mizoram also provide habitats for primates such as Assamese Macaque, phyare Leaf Monkey, Slow Loris, Pig Tailed Macaque, Stump Tailed Macaque, Rhasus Macaque, and Capped Langur and also for Hoolock Gibbon, the only ape found in India.

Important bird species found in the State are Black Stork, Oriental Darter, Serpent Eagle, Black Eagle, Humes Bartailed Pheasant, Blyth's Tragopan, Green Burmese Peafowl, Grey Peacock, Yellow-legged Button quill etc. The Hornbill species include Great Indian Hornbill, Wreathed Hornbill, Oriental Pied Hornbill, Brown Hornbill, and Rufous-necked Hornbill.

1.3 Bio-geographical importance:

The forests in Mizoram are ecologically significant as the region represents an important part of the Indo Myanmar bio-diversity hotspot which is one of the 25 global biodiversity hotspots recognized across the globe. Several hot-spots in the State carrying diverse flora and fauna have been identified for protection. Further, the region is part of biologically distinctive eco-system (Mizoram-Manipur-Kachin Rainforests Eco-region). As such, conservation of the forests in the State is a necessity for arresting the progress of climate change and mitigating the impact of changing climate on the people.

1.4 Expectations of people from the forests:

1.4.1 People's Participation in Conservation of the Forests:

The State of Mizoram moved from State regulation to people's participation for managing its rich forest wealth by adopting the "Joint Forest Management" (JFM) through a notification issued in 1998. The introduction of JFM established a new mutually-beneficial relationship between the forests, the people and the State. The basic objective for adopting the mechanism of JFM in the State was to encourage active involvement of the local people in enrichment, protection and sustainable management of the forests.

It was envisaged to impart sense of ownership over the forest areas covered under JFM to the villagers. Guidelines for managing the forests with people's participation were framed. As per these guidelines, the local people participating in managing the forests and the State would share the forest produce, which may be extracted from the areas covered under JFM by applying scientific principles of sustainable management.

The organizational structure for managing the forests with constructive participation of the local people, at present, consisted of three levels in the State i.e. (1) State Forest Development Agency (SFDA) at the State level, (2) Forest Development Agencies (FDAs) at the divisional level, and (3) Village Forest Development Committees (VFDCs) at the village level. Eco-Development Committees (EDCs) have been constituted for the villages located near the protected areas. The existing guidelines for JFM included (1) the procedures for constituting SFDA, FDAs and VFDCs/EDCs, (2) their duties and responsibilities, (3) methodology of preparing micro-plans, their effective implementation, and timely monitoring, (4) fund flow mechanism, and (5) disposal of forest produce and sharing of benefits.

For involving the local people in planning, implementation, and monitoring of schemes for forest management, one SFDA, 21 FDAs and 598 VFDCs/EDCs have been constituted in Mizoram. These committees i.e. VFDCs/EDCs have 2, 75,435 members belonging to 80,728 families. Memorandum of Understandings (MoUs) has been signed between SFDA and FDAs and also between various FDAs and VFDCs/EDCs.

Works under centrally sponsored scheme - "National Afforestation Programme" (NAP) - are mainly taken up by VFDCs/EDCs through FDAs. Revised operational guidelines for implementing NAP through JFM were issued in the year 2009 by the Ministry of Environment and Forests, Government of India. These guidelines were aimed at (1) strengthening institutional arrangements for

project implementation (capacity building), (2) treatment of highly degraded lands (problem lands), (3) application of latest nursery and plantation techniques, (4) generation of additional sustainable income for members of VFDCs/EDCs through value addition to forest produce and linkage to better markets for forest-based products. The Government of Mizoram has adopted these revised guidelines by issuing notification in March, 2010.

The scheme - NAP - is being implemented effectively in Mizoram through the mechanism of JFM. Suitable tree species have been planted over an area of 57540 ha. under NAP during the period 2003-04 to 2013-14. These plantations are being protected through joint efforts of the local people and the Government agencies. It is expected that enrichment, protection, and sustainable management of the forests through JFM will provide substantial benefits to the local people while contributing significantly to ecological equilibrium and environmental stability.

1.4.2 Stakeholder's expectations

The local people particularly those living nearby forest areas expect sustainable livelihood support from the forests through extraction of permissible yield, value addition to forest produce and marketing of value-added products. They also expect to meet their needs for constructional timber at economical cost from the forests. However, they are also concerned for ecological stability in the region. Expectations of various stakeholders from the Environment and Forests department are given as under:-

Sl. No	Name of Stakeholder	Expectations from the Department
1	The Indian citizens living in Mizoram including the indigenous people.	<ul style="list-style-type: none"> a. Ecological balance and environmental stability. b. Bonafide forest-based needs - constructional timber, fuel wood, and fodder – as per the Mizoram Forest Act, 1955. c. Constructive participation in afforestation, enrichment, and protection of forests. d. Easy access to information on uses and economic benefits of the forest products including Non-Timber Forest Products (NTFPs) and Medicinal Plants. e. Availability of technical know-how as well as other facilities for raising private plantations.
2	The State Government	<ul style="list-style-type: none"> a. Effective implementation of the planned schemes achieving the desired outcomes. b. Satisfaction of the local people.
3	The Government of India	<ul style="list-style-type: none"> a. Conservation of environment and forestry resources as envisaged in the National Forest Policy, 1988. b. Balance between conservation and development by implementing the provisions of the Forest (conservation) Act, 1980 as well as other National and State acts and rules related to management of the forests and the wildlife.
4	The forest officials working in the State	<ul style="list-style-type: none"> a. Healthy working conditions. b. Adequate facilities at par with our counterparts in other departments/services. c. Awards and recognition for good works.

5	Non-Government Organizations (NGOs)	<ul style="list-style-type: none"> a. Increase in forest cover. b. Enrichment and protection of the existing forests. c. Preservation of wildlife by creating and maintaining healthy habitats for them. d. Generating awareness towards the importance of forests and wildlife. e. Eliciting active participation of public in conservation and protection efforts.
6.	Private tree/bamboo growers	<ul style="list-style-type: none"> a. Technical knowhow. b. Logistic and financial support for raising and managing the plantations. c. Mechanism to facilitate harvesting and transportation of timber and bamboos.

Accordingly, the Department of Environment & Forests, Government of Mizoram is committed to provide a variety of services, both tangible as well as intangible, to the citizens by scientifically managing the rich forest cover existing in the State. The tangible services include (1) arranging forest products of economic importance such as constructional timber, fodder, fuel-wood, sand, gravels etc. at reasonable costs, (2) offering gainful employment while implementing various schemes for enrichment and protection of the forests, (3) creating opportunities for additional income through the mechanism of “Joint Forest Management”, (4) disseminating information on importance and economic benefits of the forests including Non-Timber Forest Products and medicinal plants, (5) building and maintaining eco-friendly recreation sites and trails, (6) making technical know-how available for raising and managing private forests/plantations, and (7) assisting private tree-growers in silvicultural harvesting and transporting of timber inside as well as outside the State. The intangible services include (1) stabilizing the climate, (2) enriching the soil fertility, (3) recharging ground water, (4) regulating the water flow, and (5) offsetting the air pollution.

1.5 Objectives for GIM implementation:

Although the identified landscape (L-1) - the entire state of Mizoram - has a large area under forest cover, the forests are not rich in quality. About 67.70 % of the forest cover is open, having very less canopy density. A large extent of open forest, particularly in the hilly terrain, can have devastating impacts on the normal structure and the delicate interdependencies of diverse flora and fauna in the forest ecosystem. The situation is likely to be further aggravated in Mizoram by the prevalence of shifting cultivation and other biotic interferences.

Efforts to enrich and protect the forests are being taken up by effectively implementing various schemes such as National Afforestation Programme, Integrated Forest Management, Thirteen Finance Commission Grants-in-Aid, National Bamboo Mission, New Land Use Policy etc. The local people are being encouraged to shift from shifting cultivation to settled agriculture by providing them technical and financial assistance.

The treatments being done to the landscape coupled with the proposed interventions under Green India Mission (GIM) will save the valuable hilly ecosystem of the State from deterioration. It is expected that implementation of proposed strategies will enhance the quality of existing forests, ecologically re-stock wastelands, improve eco-system services, increase forest-based livelihood income and augment annual CO₂ Sequestration.

1.6 Scope of implementing planned interventions under GIM:

The GIM, which aims at providing sustainable livelihood support to the people in a stable ecosystem would be implemented initially in 51 villages of eight identified L2 landscapes. These villages form compact blocks for treatment in five Forest divisions/4 districts of the State. It is further planned to extend the mission in other parts of the State. It is to mention here that, the entire State has been identified as vulnerable i.e L1 landscape

Chapter 2 Details of Identified Landscapes

2.1 Criteria for selection of L1 Landscape:

Criteria, which were adopted for identification of L1 landscape, are given below:-

Table 2			
Details of Criteria			
Item	Criteria	Details	Details of the source of data, maps etc. appended
1. Forest cover and degradation	1 a) Forest cover	19,277 sq. kms. (91.44% of the State's geographical area).	India State of Forest Report 2013, Forest Survey of India, Dehradun.
	1 b) Bio-diversity	The State is rich in Bio-diversity, having six major forest types, namely i) Cachar Tropical Semi-Evergreen Forest, ii) Secondary Moist Bamboo Brakes, iii) Pioneer Euphorbiaceous Scrub, iv) East Himalayan Moist Mixed Deciduous Forest, v) East Himalayan Subtropical Wet Hill Forest, vi) Assam Subtropical Pine Forest.	India Forest Atlas prepared by Forest Survey of India, Dehradun
	1 c) Wastelands	6021.14 sq km (28.56% of the State's total geographical area) is wasteland including jhumland.	Wastelands Atlas of India, 2010.
2. Projected Forest vulnerability to climate change	2a) Vulnerability maps and attribute data	Although the State is having a large area under forest cover, the forests are not good in quality. The State has 13,016 sq km open forest which is 67.70% of the total forest cover and 61.74% of the total geographical area. It is expected that a large extent of open forests, particularly in the hilly terrain, may adversely affect not only the forest eco-system but adjoining areas as well. The situation is likely to be further aggravated in	As indicated above in column 1.

		Mizoram by the prevalence of shifting cultivation and other biotic interferences.	
		Effect of climate change in the State is (1) irregular behavior of rainfall, (2) rise in mean maximum and mean minimum temperatures, (3) gradual and progressive increase in humidity, and (4) increased frequency of extreme climate events (heavy rainfall, flash floods, etc.). Forests are highly vulnerable to these changes in climatic conditions. Impact of climate change on the forests coupled with biotic interferences is characterized by (1) degradation (a large extent of open forests), (2) loss of biodiversity, (3) increased incidence of invasive species, and (4) loss of forest environmental functions (water conservation, soil conservation, flood control etc.).	(1) Programme Design Document for North East Climate Change Adaptation Programme presented to KfW Germany, DoNER, and State Govts. (2) Field observations by Forest Officers.
3. Vulnerable Population / Communities	3 (a) ST/SC Total population, ratio 3(b) Scheduled areas	The majority of the population in the State - over 95% - belongs to STs.	2011 Census data, Govt. of India.

2.2 Importance of L1 Landscape:

Based upon the criteria given in para 2.2, the entire State of Mizoram (Area: 21,081 sq. km.) has been taken as L1 Landscape. Proper treatment of the landscape in the State would bring ecological security in the region and would also contribute significantly to stabilize the changing climate. The bio-geographical importance of the L1 landscape has been given in para 1.3.

2.3 Criteria for selecting L2 Landscape:

Operational units (L2 level) have been identified based mainly on five indicators which are (1) extent of open forest, (2) dependency of the local population on the forests i.e. biotic pressure, (3) drainage pattern, (4) prevalence of shifting cultivation and (5) compact block for treatment under GIM. The criteria for selection of L2 Landscapes are given below in detail:

Table 3			
	Criteria	Details	Details of the Source of data – Maps etc appended
Extent of open forests	Extent of degraded forests i.e. forests having very less canopy density	Aizawl, Champhai, Lawngtlai, Lunglei, and Mamit districts have larger area under open forests.	FSI, Dehradun
Forest Dependence	Forest areas (sq. kms.) per 1000 population	Aizawl, Champhai, Kolasib, and Serchhip districts have less forest areas per 1000 population. Therefore, it is expected that these districts may witness more biotic pressure on the forests.	Data for forest areas: FSI data and for population: census data.
Drainage Pattern	Catchment areas of major and important rivers	After identifying the Divisions on the basis of first two criteria, the operational units have been identified	Maps obtained from MIRSAC (Mizoram Remote Sensing

		within these Divisions on the basis of these two criteria.	Application Centre)
Prevalence of shifting cultivation	Areas including Abandoned Jhumland and Current Jhumland		Maps obtained from MIRSAC (Mizoram Remote Sensing Application Centre)
Formation of Compact Block	All identified L2 landscapes to form a compact block for better outcomes.	Aizawl, Champhai, Darlawn, Kolasib and Thenzawl divisions form a compact block in the State.	Map of the State.

c.3 Reasons for selecting this L2 landscape among other possible L2 landscapes within L1:

A meeting (brainstorming session) of senior forest officers was held in March, 2012 to discuss various issues and formulate suitable strategies for the preparation of Bridge Plan/Perspective Plan under GIM. The views presented by the senior officers in the meeting are summarized below:

- The operational units should be from the districts which satisfy either of the two criteria i.e. extent of open forests or biotic pressure on the forests. Further, this unit should be strategically important for i) treatment and management of catchment areas and ii) engagement of the local people in settled agriculture or other sustainable livelihood options i.e weaning them away from jhum cultivation.
- The operational units, so selected, should form a compact block.
- The forest divisions, where activities similar to those proposed under GIM (KfW sponsored North East Climate Change Adaptation Programme) are being carried out, may not be taken up as operational units.
- Aizawl city, which carries maximum concentration of population (26% of the State's population), has the significant impact on the climate and the eco-system in the State. Therefore, forest-based interventions inside and outside the city of Aizawl may be taken up under GIM.

Considering the above views, it was decided in the meeting that 8 nos. of operational units in 5 forest divisions namely Darlawn, Champhai, Thenzawl, Kolasib, and Aizawl (for Aizawl division limited to inside and outside Aizawl city) may be taken in the initial five years of GIM. Other areas/divisions may be taken up subsequently under GIM.

The proposed landscape, Tuikum Zau lies across the inter-range boundary of Chhingchhip and Serchhip Forest Ranges in Thenzawl forest division. The landscape consists of open and degraded forests, both Government and privately owned. There are many current and abandoned jhumlands as well. Further, it forms the catchment area of Tuikum river which is the only source of water for Serchhip, one of the largest towns in the State. The treatments under Green India Mission would ensure continuous and uninterrupted supply of water for Serchhip town. As such, Tuikum Zau was selected as L2 landscape for treatment under GIM.

2.5 Importance of L2 Landscape (Serchhip):

The identified landscape lies in the catchment area of Tuikum river, the source of water supply to Serchhip town. Treatment of this landscape under GIM would ensure regular water supply to 46,600 inhabitants (2011 census) living in Serchhip town. Well-stocked good-quality forests in "Serchhip" landscape will also stabilize water flow in another major river of the region i.e. Zalreng river flowing in north-west direction.

2.6 Criteria for selection of L3 landscape :

All villages namely Chhiahtlang, Thentlang, Vanchengte and New Serchhip having interests in "Serchhip" have been taken as "Working Units" i.e. L3 landscape.

2.7 Importance of L3 landscape (Chhiahtlang):

The area under Village Council of Chhiahtlang is one of the four L3 landscapes (working units) identified for coverage in L2 landscape ‘Serchhip’. The Chhiahtlang village was established around the year 1905. It has the population of 4,200 with 822 households (320 households under BPL category). The villagers are quite educated, literacy rate being 96.5%.

The total geographical area of this L3 landscape is 34.99 sq. km. In the past, most of the land was covered with well-stocked good-quality forests. However, the forests have suffered serious depletion and degradation due to traditional practice of shifting cultivation and uncontrolled felling of trees. As a result, presently, most of the areas are either wastelands or forests having very less canopy density i.e. less than 10%. It is expected that execution of well-planned strategies under GIM may result into ecological stability in the region.

Further, this L3 landscape controls water flow in several streams/rivers such as Zalreng lui, Saibual lui and Zatlan lui. These water-bodies are natural sources of water for Serchhip and other nearby villages. The productivity of agricultural crops also depends upon water flow in these streams/rivers.

2.8 Extent of L1 landscape:

Name of the L1 landscape: The entire State of Mizoram (map enclosed as annexure ‘A’)
 Location of the landscape: State: Mizoram
 District: All Districts
 Forest Division: All Forest Divisions

Extent (area, boundaries, geo-references) :

- Geographical area of the State is 21,087 sq. kms.
- The State shares its boundary with Assam and Manipur on the North, Myanmar on the East and the South, Tripura and Bangladesh on the West.
- It is located between 21°56’ and 24°31’ N latitude and 92°16’ and 93°26’ E longitude.

2.9 Extent of L2 landscape:

Name of L2 landscape: Tuikum Ram (map enclosed as annexure ‘B’)
 Location of the L2 Landscape: State: Mizoram, District: Serchhip, Division: Thenzawl
 Geo references of the L2 Landscape: 23°26’28” N & 92°51’40” E and 23°18’48” N and 92°54’46” E

Area of the landscape:	Open forests	:	49.71 sq. km.
	Moderately dense	:	21 sq. km.
	WRC	:	1.45 sq. km
	Horticulture	:	3.01 sq. km
	Scrub lands	:	0.00 sq. km
	Other areas	:	5.59 sq. km.
	Total area	:	80.76 sq. km.

2.10 Extent and other features of L3 landscape (Chhiahtlang):

Table 4	
Location	The L3 Landscape (Chhiahtlang) is located along Aizawl-Lunglei highway (NH-54). It is 12 kms. away from Serchhip town, district headquarter of Serchhip district, and about 98 kms. from Aizawl, the State capital.

GPS coordinates:	N 23°26'28'' & E92°51'40'' , N 23°25'15'' & E 92°53'30'' N 23°21'15'' & E 92°50'52'', N 23°21'45'' & E 92°52'12''
Area	22.98 sq. kms.
Forest cover	Moderately dense forests – 4.91 sq. kms. Open forests – 14.17 sq. kms. Non-forests - 3.9 sq. kms.
Forest type	Cachar Tropical Semi Evergreen Forest (2B/C2) mixed with bamboo breaks. Important species found in the locality are <i>Dipterocarpus turbinatus</i> , <i>D tuberculatus</i> , <i>Terminalia chebula</i> , <i>Emblica spp</i> , <i>Careya arorea etc</i> . Dominant bamboo species are <i>Melocanna baccifera</i> , <i>Dendrocalamus hamiltonii</i> , <i>Bambusa tulda</i> , <i>D. longispathus etc</i> .
Soil quality	Three soil orders i.e. ultisols, inceptisols and entisols are found in the project area. The surface soil textures are loam to clay loam with clay content increasing with depth in the hills whereas in the valleys it is mostly sandy loam to sandy clay loams. The soils are acidic in nature with pH values ranging from 4.5 to 6.3. The soils in the hills are strongly acidic in reaction, whereas, the soils in alluvial deposits are less acidic in nature. The percentage of organic carbon content is medium (0.70 %).
Topography	Some portion of the land is undulating with moderate slope i.e. 15° to 30°, whereas most parts of the land are comparatively flat with an altitude of 800-900 mts. above MSL.

2.11 Profile of L3 Landscape (Chhiahtlang):

2.11.1 Population and Workers Population:

The population data of Chhiahtlang village is given below in the following table:

No of Households	Population		Children below 6yrs	Total
	Adult Male	Adult Female		
822	2170(53%)	2030(47%)	630(15%)	4200

The average family size is 4 to 5 persons per household

Workers Population is as under:-

Total Workers	Regular/Main Workers	Irregular/Marginal Workers	Non Workers
Workers: 2550 (60.7 %) Male: 1320 (31.4 %) Female: 1230 (29.3%)	Regular Workers: 1210 (28.8 %) Male: 930(22%) Female: 280(6.6%)	Irregular Workers: 965 (22.9 %) Male: 305(7.2%) Female: 660 (15.7%)	Non Workers: 2,345(55.7%) Male: 1060(25.2%) Female: 1285(30.5%)

Source: Census data 2011

2.11.2 Social structure:

The social structure of the population at Chhiahtlang village is as under:-

General	Scheduled Caste	Scheduled Tribe	OBC	Total
Nil	20(0.47%)	4180(99.52%)	Nil	4200

Source: Census data, 2011

2.11.3 Wealth Ranking:

Sl. No.	Classification	No of families
1	Rich (Families having RCC building or motor car whose annual income	40(approx)

	exceeds Rs 5,00,000.00	
2	Middle class (Families whose annual income is less than Rs 5,00,000.00 but above BPL)	462(approx)
3	Poor (Families who are listed as BPL by the Govt.)	320 (approx)

Source : Actual field verification

2.11.4 No of Educational institutions

Table 8						
Anganwadi	Primary school	Middle school	High school	HSS	Colleges	Others
8	5	2	2	1	Nil	Nil

Source : Field verification

2.11.5 Enrolment (as on 15th Aug 2014):

Table 9					
Anganwadi	Primary school	Middle school	High school	Colleges	Others
440	560	420	290	80	NA

Source : Field verification

2.11.6 Literacy percentage:

Male – 96%, Female – 97%, Overall – 96.5%

Source: Census data 2011

2.11.7 Occupation:

Table 10		
Sl. No.	Category of Occupation	No of families
1	Govt. service	85
2	Jhumming (Shifting cultivation)	400
3	Horticulture including WRC	200
4	Business/Petty trade	50
5	Daily labourers	70
6	Others	17

Source : Field verification

2.11.8 Livestock population:

Table 11					
Cattle	Goat	Sheep	Pig	Poultry	Other
60	Nil	Nil	1250	3015	-

Source: Field verification (could vary from time to time).

2.11.9 Agriculture practices:

Table 12.

Category	Current Jhumming	Abandoned Jhumming	WRC
Area (ha)	85	420	82

Source: Existing Land Use Map

2.11.10 Cropping pattern:

Table 13				
Sl No	Crop	Time of sowing	Time of harvest	% of agri. area covered
1	Rice	April-May	Sept- Nov	60
2	Orange	May-June	Oct-Dec	10
3	Banana	April-March	Jan-Dec	20
4	Areca nut	May-June	March-April	16
5	Maize	March	July	100
6	Ginger	April- June	Oct-March	200
7	Pumpkin	March	June	Nil
8	Calocasia (Bal)	April	Nov-Dec	30
9	Local pea (Behlawi)	March	Sept-Nov	80
10	Soya bean	June-July	Nov-Dec	12
11	Oil Palm	April-June	Aug-Dec	120

2.11.11 Water Resource:

There are three main sources of water for the people living in Chhiahtlang village i.e. water connection from Public Health Engineering (PHE) Department, water collection points connected to perennial fountains and rain water harvesting. Water connection from PHE Department has many outlets for all villagers and house-to- house connection has been provided. Rain water harvesting is being done by limited well-to-do families only.

2.11.12 Energy Consumption Pattern:

The village has already been electrified by Power & Electricity Department of the State. In addition, energy requirement is met from LPG connections, kerosene oil and fuel-wood collected from the Village Supply Reserves, the Jhumlands and the surrounding forests.

2.11.13 Demand for fuel-wood:

The demand for fuelwood has been worked out based upon inputs received from NGOs, VC members and other villagers. The annual demand is as under:-

Table 14.

Average annual demand/household	No of households	Total annual demand of the village
2.7 cum	822	2219.4 cum

2.11.14 Existing infrastructure:

Anganwadi Centre (8 nos.), Primary School (5 nos.), Middle School (2 nos.), High School (2 no.), Community Hall (2 no.), Mini-Market (1 nos.), Mini-Playground (2 nos.), Medical (1 Health Sub-Centre) and Govt. offices - 3 nos (Supply, PHE and AH& Vety).

Local Institutions / Organizations: - Village Council, YMA (5 Branches), MUP (2 units), MHIP (3 Branches) and Games & Sports Association.

2.11.15 Problems and Priority:

Through PRA exercise, problems being faced by the villagers could be ascertained. These are lack of proper medical facility, absence of link road to agricultural fields, incomplete net-work of approach roads within the village, in-sufficient supply of LPG cylinders and scarcity of water-supply.

2.12 Demographic statistics of L2 Landscape:

Table 15								
Sl. No.	Village	Population			Poverty (BPL families)	Forest dependency	Drivers of degradation	JFMCs/ other institutions of Gram Sabha
		Total	SC	ST				
1	Chhiahtlang	4200	20	4180	350	Shifting cultivation, fuel-wood, timber for construction of houses, furniture etc.	Dealt in para 2.15	Village Forest Development Committee (VFDC) is active in all these villages.

Source: Census data 2011

2.13 Present interventions for addressing livelihood needs (forestry as well as non-forestry sector) and promoting sustainable forest development

Table 16						
Sr. No.	Name of Scheme	Implementing Agency	Forestry and Wildlife activities	Other components like SMC	Details of livelihood component	Villages covered
1	N L U P (New Land Use Policy)	Different line departments such as-Soil Conservation, Horticulture, Agriculture, Forest, Sericulture, Fisheries, Industries, AH & Vety etc	Plantation of bamboos and other indigenous species	Construction of terracing, trenching, Rain water harvesting structures	Provision of technical and sustainable livelihood support so as to wean them away from the traditional practice of jhumming	Chhiahtlang
2	N A P (National Afforestation Programme)	F D A Thenzawl/ concerned VFDC	Sustainable management of forests with people's participation. Plantation is carried out on degraded lands	Construction of contour trenching, Checkdams, inspection path etc	Livelihood generation through direct employment, sustainable extraction of forest produce, value addition and marketing	Chhiahtlang
3	NBM(National Bamboo Mission)	F D A Thenzawl/ concerned VFDC	Plantation of bamboo spp, Training to farmers to increase crop productivity		Livelihood support is expected from extraction of bamboo & marketing of value added	Chhiahtlang

					products	
4	MIDH(Mission for Integrated Development of Horticulture)	D H O Serchhip	Rubber plantation	Terracing,Rain water harvesting structures	Technical & Financial support to promising farmers only.	Chhiahtlang
5	MGNREGS	DRDA,Serchhip Dist	Roadside plantation	Terracing Checkdam, Retaining wall,countour trenching,Public water point,Rain water harvesting structures	Provision of 100 days employment for every willing household	Chhiahtlang
6	IWMP(Integrated Watershed Management Programme)	DRDA Serchhip,	Rubber plantation	Terracing Checkdam,countour& staggered trenching,Public water point,Rain water harvesting structuresFarm ponds,Fish ponds	Support to SHGs	Chhiahtlang
7	RKVY(Rastriya Krishi Vikas Yojana)	DHO(Horti), DAO(Agri), DFDO(Fishery,DO(Sericulture) Serchhip dist	Planting of Muberry cuttings under sericulture,Oil palm plantation under Agriculture(OPAE)	Terracing(WRC-I),Rain water harvesting unit, Fish/Farm ponds	Provision of financial and material support to selected promising farmers.	Individuals/cluster selected from village
8	RADP(Rainfed Area Development Programme)	DAO Serchhip	Shift from shifting cultivation to settled cultivation(WRC-I)	Terracing,water harvesting structure	Technical and financial support to vulnerable families	Selected cluster &Individuals
9	IAY(Indira Gandhi Awas Yojana)	DRDA , Serchhip	Nil	Nil	Construction of houses for the poor	Chhiahtlang

2.14 Gaps/Strategies identified under GIM:

Table 17

Sl. No.	Village	Forestry activities proposed	Other activities like SMC	Livelihood activities proposed	Any others
1	Chhiahtlang	1) Enhancement of quality in existing forests (with limited root stock and open blanks) 2) Ecosystem restoration (Rehabilitation of Shifting cultivation) 3) Agro forestry 4) Social forestry 5) Support to community conserved areas	Interventions in catchment areas of hydrological importance	Community livelihood enhancement.	Promoting alternate energy sources

2.15 Drivers of degradation and deterioration in the forest eco-system

Table 18		
Sl. No.	Village	Drivers of degradation
1	Chhiahtlang	Traditional practice of shifting cultivation, Lack of strategic and participatory land-use planning, excessive population pressure on the forests for fuel-wood, fodder, timber etc., inadequate scientific management of watersheds including rainwater harvesting.

Chapter 3

Process undertaken for preparation of Micro-Plan/Sub-Landscape Plan

3.1 Constitution of Micro-Plan Working Group:

A meeting was held with members/representatives of Village Council for Chhiahtlang village, conservation-oriented NGOs (YMA, MHIP and MUP), forest officers and other prominent citizens of the village on Dt 5.9.2014. As per recommendations made in the meeting, a Micro-Plan Working Group was constituted for facilitating preparation of micro-plan for Chhiahtlang Landscape (L3).

The constitution of the group is as under:-

Chairman	:	C.Lalrawna
Secy	:	Zothanpari Zote, Forester
Members:		
	1)	C.R.Dothanga VC representative
	2)	Lalrinzuali VC representative
	2)	Lalremliana YMA representative
	3)	Vanlalhluti MHIP representative
	4)	Lalthlamuani MHIP representative

5) Lalhlupuii	MHIP representative
5) T.Sangzuala	MUP representative
6) Rosiama	MUP representative
6) K. Lalbiakmawia	VFDC representative
7) Biaknghinglova	VFDC representative
8) Lalpianmawia	VFDC representative
9) Lalhmingthanga	VFDC representative
10) Lalnuntluanga	VFDC representative
11) Vanlalfima	VFDC representative
12) F.Lalrinninga	VFDC representative
13) Lalneihkima	VFDC representative

A questionnaire was designed by the committee for collection of data on (1) demographic status, (2) socio-economic conditions of the villagers, (3) resources available in the village etc. The questionnaire was designed to facilitate (1) assessment of current land use pattern and formulation of proposed land use pattern, (2) participatory resource-based land-use planning, (3) identification of livelihood needs, (4) planning of activities for sustainable livelihood support to the people and ecological stability in the region. The members of the Working Group also visited the area covered under L3 landscape.

3.2 Participatory Rural Appraisal (PRA):

PRA exercise including group discussion, experience sharing, one to one discussion with the villagers etc. was conducted to promote people's participation in project planning, implementation and monitoring. Information on various issues concerning GIM implementation was explained to the villagers through interpretation of maps and other documents. Resource mapping, preparation of existing land use map, seasonal calendar (Cropping season) and wealth ranking exercise were completed during PRA activities. The principle of participatory land use planning was adopted with available technical inputs and in consultation with all the stakeholders including the local public, proposed land used map was prepared. The proposed land used map reflects the area where interventions are to be planned and implemented.

3.3 Households survey:

House-hold survey was carried out in the village covering almost all the families. A structured questionnaire was prepared for collecting information on dependency of every family on the forests as well as other required data.

3.4 Transect Walk:

Transect walk was done by the Micro-plan Working Group along-with some local people and VFDC members. During transect walk, inputs were obtained from the field for deciding upon the suitability of the proposed land-use. GPS reading of the prominent sites/spots visited by the Working group were also recorded.

3.5 Details of awareness programmes, meetings and work-shops along-with the resolutions and other outcomes:

Table 19					
S I .	Work-shop /	C a t e g o r y	Major outcomes	Details of facilitators	W h e t h e r

No.	meetings State Level / Landscape / Villages covered	(stakeholders and no. of participants)		engaged	resolutions / photographs enclosed
1	State / L1 level (State Mission Directorate)	Representative of all line departments, reputed academic and technical institutions	Suggestions were mainly given for strengthening institutions responsible for GIM implementation in the State		
2	Village/L3 level at Chhiahtlang	Representatives of VFDCs, VCs, and NGOs such as YMAs, MHIPs & MUP attended.	GIM guidelines in local dialect be distributed. Rural outreach activity for data collection be done at the earliest		

3.6 Details of facilitators engaged in the process, institutions who prepared the micro-plans and approval of the Gram-Sabha:

Table 20					
Sl. No.	Village	Institution who prepared Micro-Plan JFMC/Others	Details of participation of all stakeholders/departments	Approval of Gram Sabha	Details of facilitators engaged
1	Chhiahtlang	Thenzawl F D A & Microplan Working Group as mentioned in para 3.1	Representatives of Government departments, Conservation oriented NGOs, VFDCs, VCs, and local public.	Approved by Village Council, Chhiahtlang. Approval letter enclosed at annexure -	

3.7 Details of involvement of district level committee in preparation of perspective plan especially of convergence mechanism:

- NA

3.8 Details of the meetings/consultations with other departments in finalizing the convergence issues and perspective plan: NA.

Chapter 4:

Activities proposed to be undertaken in the Sub-landscape (L2).

4.1 Current Land Use pattern:

Current land use pattern has been mapped with interpretation of satellite imageries and field verification of interpreted data. The details are as under:-

Chhiahtlang village:

Table 20 A				
Sl. No.	Land Use category	Area (Sq. kms.)	% of total area	Remarks
1	Working Area	22.98		
2	Abandoned Jhum Land	4.21	18.32	
3	Horticulture land	1.62	7.04	
4	Department Plantation	0.20	0.87	
5	WRC	0.24	1.04	
6	Private land	1.42	6.18	
7	Community land	15.2	66.14	
8	District Jail	0.09	0.40	

Source: GIS cell, E&F dept, Mizoram

4.2 Proposed Land Use Pattern

After careful scrutiny of current land use pattern, needs assessment and consultation with stakeholders, the following land use model is designed/proposed:

Chhiahtlang village:

Table 20 B				
Sl. No.	Proposed land-use	Area (sq. km.)	% of total area	Remarks
1	Working Area	22.98		
2	Department/Forest Land	0.20	0.87	
3	Community land (Total area) :	20.1	87.5	
	1. Shifting Cultivation area	16.74	72.84	
	2. Abandoned Jhum land	1.01	4.4	
	3. Moderately Dense Forest	1.09	4.74	
4	4. Degraded Open Forest	1.50	6.52	
	Agro Forestry & Social Forestry			
	1. Farmer's Land	2.35	10.22	
5	2. Highways/Rural Roads	0.40	1.74	
	Urban & Peri-Urban areas	0.40	1.74	
	1. Within working area	0.09	0.04	
6	2. Outside working area	0.31	1.35	
	WRC	0.24	1.04	

4.3 Treatments proposed:

The following prescriptions (sub-missions/categories) are proposed to achieve the objectives under GIM through sustainable use of available natural resources:-

Submissions:

Table 20 C						
Sl. No.	Village	Submission/category				
		Enhance quality of forest cover	Ecosystem restoration & increase in forest cover	Agro forestry	Social forestry	Support to Community Reserves
1	Chhiahtlang	Stock enrichment planting to increase the	Plantation of indigenous spp to improve ecosystem and	Raising of plantation along with agri-crops for	Afforestation activities with active people's participation of	Support to community for conservation/

	quality of existing forests (ANR)	provisional services (AR)	generating additional income sources	locals along the roads, in school premises etc	improvement of their forests
--	-----------------------------------	---------------------------	--------------------------------------	--	------------------------------

Cross-cutting interventions:

Table 20 D					
Sl. No.	Village	Cross-cutting interventions			
		Alternate energy sources	Livelihood enhancement Community	Community conserved areas and sacred groves	Watershed management
1	Chhiahtlang	Provision of Solar devices, LPG connection to BPL families	Support to forest based cottage industries for value addition of forest produce and marketing of value added products and Support to eco-tourism activities	Technical and financial assistance to village community as well as conservation oriented NGOs for sustainable management of forests	Rain water harvesting, construction of check dams/retaining wall, soil and water conservation measures

4.4 Objectives.

Short term objectives :

- Identification and arrest of drivers responsible for eco-system degradation
- Water-shed management - ridge to valley approach
- Increase in fuel-wood and fodder availability
- Employment generation
- Awareness for sustainable management of natural resources

Long term objectives:

- Sustainable livelihood support to the people
- Ecological stability in the region

4.5 Village-wise details of submissions proposed for treatment (Action plan):

Table 21 A						
Sl. No.	Village	Sub-mission	Categories	Proposed area	Proposed cost (Rs in lacs)	Livelihood activities proposed based on Micro-Plan
1	Chhiahtlang	Enhancing quality of existing forest cover(ANR)	a) Moderately dense Forest cover showing degradation	100 Ha	40.5	Support to Cottage industries @Rs 10laks/unit
			b) Eco restoration degraded open Forests type-A(200 plants/Ha)	50 Ha	21.6	

			<i>c)Type-C (2500 plants/Ha)</i>	<u>100 Ha</u>	135.00	
		Ecosystem restoration and increase in forest cover	Rehabilitation of shifting cultivation	100Ha	81.00	
		Submission-3 Enhancing tree cover in urban and peri urban areas including institutional lands	<i>Plantation in urban and peri-urban (2500 plants/Ha)</i>	40 Ha	108.00	
		Submission-4 Agro forestry & Social Forestry (increasing Biomass and creating carbon sink)	<i>a)Farmer's land including current fallows b)Highways/rural roads/canals/tank bunks</i>	235 Ha 40 Ha	126.9 75.6	

4.6 Treatment area under the landscape unit:

Sl. No.	Sub-mission	Category	Proposed area	Proposed cost(Rs in lakhs)	Livelihood activities	Proposed cost(Rs in lakhs)
1	2	3	4	5	6	7
1	Enhancing quality of existing forest cover(ANR)	With limited root stocks and open blanks	<u>250</u> Ha	197.1	Financial support to forest based cottage industries etc.	
Sub Total			250 Ha	197.1		20.00
2	Ecosystem restoration	Rehabilitation of shifting cultivation	100Ha	81.00		
Sub total			100Ha	81.00		
3	Enhancing tree cover in urban and peri urban areas including	<i>Plantation in urban and peri-urban (2500 plants/Ha)</i>	40	108.00		

	institutional lands					
		Sub total	40	108.00		
4	Agro forestry & Social Forestry (increasing Biomass and creating carbon sink)	a)Farmer's land including current fallows	235	126.9		
		b)Highways/rural roads/canals/tank bunks	40	75.6		
		Sub total	275	202.5		
4	Promoting alternate energy sources	LPG / Solar device	180 Families	5.94		
		Sub total	180 Families	5.94		
		TOTAL		594.54		

4.7 Whether Map showing details of the area proposed village-wise and submission-wise enclosed.

-Attached at Annexure-

4.8 Whether the geo-references of the treatment locations enclosed in the prescribed format?: Not yet.

4.9 Details of support activities proposed in the landscape including proposed cost and village-wise details wherever applicable:

Under GIM, the livelihood support given to locals will be Technical and financial support to 2 units of forest based cottage industries. The proposed cost for this activity will be Rs 20.00 lakhs

4.10 Details of each cross-cutting intervention proposed under the mission with area details, geo-references, activities etc.

Table 21B					
Sl/no	Cross cutting interventions proposed	Activities	Unit	Total Cost(Rs in lakhs)	Geo-references
1	Alternate energy sources	1)Provision of LPG connection/Solar device etc	180 families	5.94	

4.11 Promotion of alternative fuel energy:

Table 22					
Sl. No.	Village	Schemes proposed (Biogas, Solar devices, LPG, improved stores, biomass based systems etc.	No. of beneficiaries in each scheme proposed		Total cost under each scheme (Rs in lakhs)
			No. of family	No. of beneficiary	
1	Chhiahtlang	LPG connection to BPL families/ Solar devices etc	180 Families	180 nos	5.94
		Village sub-total	180 nos	180nos	5.94

Chapter 5 Activities proposed under convergence.

5.1 Activities proposed under convergence:

Table 23					
Sl. No	Village	Scheme	Implementation Agency	Area (Natural Resource Development Activities) Other Activities (If any)	
				Works	Proposed funding Rs in lakhs
	Chhiahtlang	Area Expansion Scheme	DHO Serchhip	Cultivation of dragon fruits	3.36
		ISDP	DSO Serchhip	1. Construction of rearing house. 2. Construction of mounting hall. 3. Water conservation for rain water harvesting.	11.85 3.60 1.20
		MGNREGS	VEC BDO PD	Promoting livelihood to rural areas by providing employment for 100 days	243.00

5.2 Activities proposed for overall improvement of the landscape to be taken up through convergence (details regarding each scheme of the forest/non-forest departments proposed and the village-wise activities along-with expected outcomes and funding during the project to be given).

Chapter 6 Institutional Set-up for implementation in the landscape.

6.1 GIM Committee:

Various committees have been constituted by the State government vide Notification dated _____ for effective implementation of GIM in the State of Mizoram. A copy of notification is attached at Annexure-----

The names of these committees are as under:-

- 1) State Forest Development Agency for "Green India Mission"/State Mission Directorate.

- 2) State Level Steering Committee for Green India Mission.
- 3) GIM Cell under Environment & Forest Department/Nodal Agency.
- 4) Revamped FDA for Green India Mission.
- 5) District Level Steering Committee.
- 6) Village Level GIM Committee.

6.2 Institutional Set-up for implementation in the landscape:

Sl. No	Village	Institutions proposed for implementation	Submission of area			Details of other activities	Remarks
			Submission	Category	Area		
1	Chhiahtlang	Revamped VFDC	Enhancing quality of existing forest cover(ANR)	With limited root stocks and open blanks	250Ha	Provision of support to small scale cottage industries	Financial support for Livelihood will be given in the exit year
			Ecosystem restoration and increase in forest cover	Rehabilitation of shifting cultivation	100Ha		
			Enhancing tree cover in urban and peri urban areas including institutional lands	<i>Plantation in urban and peri-urban (2500 plants/Ha)</i>	40 Ha		
			Agro forestry & Social Forestry (increasing Biomass and creating carbon sink	<i>a)Farmer's land including current fallows</i> <i>b)Highways/rural roads/canals/tank bunks</i>	235 Ha 40 Ha		
			Alternate energy source	LPG connection to BPL families, solar devices etc.	180 Families		

Chapter 6 Livelihood Issues

6.1 Brief note on the forest dependency and livelihood issues village-wise:

6.1.1 Availability and Requirement of Fuel wood.

Most of the households use fuel-wood as supply of LPG cylinders is much limited in the rural areas.

The requirement and availability of fuel-wood is indicated below:-

Table 24						
Sl. No.	Village	No. of households	Average fuel wood requirement per household (cum.)	Annual Fuel wood requirement (cum.)	Fuel wood availability (Annual Yield) (cum.)	Remarks
1	Chhiahtlang	822	2.7	2219.4	1631.8	

6.1.2 Availability and Requirement of Fodder

Very few households practice cattle rearing for livelihood support. Therefore, demand for fodder is comparatively low.

6.1.3 Availability and requirement of Timber

Demand for timber used in house construction and furniture has been worked out and is indicated below:-

Table 25						
Sl. No.	Village	No. of households	Average timber requirement per household (cum.)	Annual timber requirement (cum.)	Timber availability (cum.)	Remarks
1	Chhiahtlang	822	1.5	1233	800	

6.1.4 Availability and Requirement of NTFP(s).

Bamboo, cane, thatch, honey etc. are some of the important NTFP (s) which are extracted by the villagers from the forests. The demand as well as the availability for various NTFPS has been indicated below:-

Chhiahtlang Village:

Table 26							
Bamboo (nos.)		Fuelwood(cum)		Broom(Qtls)		Thatching grass (Bundles)	
Demand	Supply availability	Demand	Supply Availability	Demand	Supply availability	Demand	Supply Availability
50,000	10,00,000	2219.40	1600	258.57	1346	4621	34326

6.2 Details of activities to be carried out to address livelihood issues through Green India Mission including details of activities, beneficiaries, cost, village-wise plan etc.

Table 27						
Sl. No.	Village	Proposed livelihood	Role of facilitators, if any	Beneficiaries	Proposed cost (Rs)	Remarks

		activities	engaged			in lakhs)	
				Family	No.		
1	Chhiahtlang	Technical & Financial support to cottage industries	Provision of technical knowledge to improve quality and quantity of production as well as assistance in marketing	822			Cottage industries are producing different handicraft-items like gasket,pot, traditional local carriers,Flower vase, Mat,etc made from bamboo &cane

Chapter 7 Baseline Survey

7.1 Baseline survey

The baseline data for various parameters required for maintaining the outcomes of activities undertaken under GIM are given below:-

Chhiahtlang village:

Parameters	Indicator	Baseline Status (As on 15.6.2014)
1. Forest/tree cover on forest / non-forest lands in the Mission Target Area (MTA)	a) % of area with forest cover	83.07% (Total forest cover 19.09 sq. km. out of 22.98 sq. km.)
	b) % area in various forest density classes	1) Very Dense = 0.0% 2) Moderately Dense = 21.4% (4.92 sq. kms.) 3) Open Forest = 61.66 % (14.17 sq. km.) 4) Non Forest = 16.97 % (3.9 sq. km) Source: GIS cell E&F dept.Govt of Mizoram
3. Ecosystem services from targeted areas / landscapes	a) Shannon-Weiner Index	3.357
	b) Biomass	Above Ground Biomass = 102872.268 tonnes Source: Field Survey data
4. Soil	a) Depth of top soil	The depth of top soil is very deep in valley flatlands whereas in the hills it is deep to very deep.

	b) Soil quality	Three soil orders such as ultisols, inceptisols and entisols are found in the project area. The surface soil textures are loam to clay loam with clay content increasing with depth in the hills whereas in the valleys it is mostly sandy loam to sandy clay loams. The soils are acidic in nature with pH values ranging from 4.5 to 6.3. The soils in the hills are strongly acidic in reaction, whereas, the soils in alluvial deposits are less acidic in nature. The percentage of organic carbon content is medium (0.70%). The available nitrogen is medium (0.6 kg/ha) while available phosphorus is found low (12 kg/ha). The available potash is found to be high (285 kg/ha).	
5. Hydrology	a) Wetland area b) Stream beds/water discharge c) Ground water, Table- water level in wells/springs	a) No wetlands in the Area b) No data on stream water discharge c) The area is hilly with variable elevation. Therefore, the ground water level varies. In the village settlement area, the depth of water in well is about 40 ft.	
6. Annual sequestration of CO ₂	Carbon sequestered in the target area.	Baseline Carbon Stock = 219267.74 tonnes (annexure....)	
7. Forest / non-forest based livelihoods income	No. of targeted households (HH) reporting at least 25% increase in real income	Income(Rs. Annual)	No of Households
		More than 5Lakh	40
		5 lakh> -- <50,000	462
		Less than 50,000	320
8. Quality of forest cover & ecosystem services of forest / non-forests	a) % of forest area naturally regenerating.	55% Source:GIS Cell,E&F Dept,Mozoram	
a) Moderately	b) Biomass	19620.36 tonnes (AGB)	

dense forests			
b) Open forests		56623.32 tonnes (AGB)	
c) Degraded grasslands		No Degraded Grasslands	
d) Wetlands		No wetland area	
2. Ecosystems are restored and forest cover is increased in Scrub, shifting cultivation areas etc.	a) % of area that is adequately stocked /productivity		
3. Forest and Tree cover in urban/peri-urban land	a) % of forest and tree cover in the targeted urban/peri-urban areas	No urban area is there in the Mission Target Area	
4. Forest and tree cover on marginal agricultural lands / fallows and other non- forest land under agro forestry/ social forestry	a) % of tree cover on non-forest land.	85 % (3.32 sq. kms. out of 3.9 sq. kms.) Source: GIS Cell,E&F Dept Mizoram	
5. Public forest/non-forests areas (taken up under the Mission) are managed by the community institutions.	a) % of area under management of community institutions	19.10 % (4.3 Sq Km out of 22.98 Sq Km) Legally under the Village Council Source: GIS Cell E&F Dept,Mizoram	
6. Improved fuel wood-use efficiency and alternative energy devices adopted by households in the MTA.	a) % of HH reporting use of alternative energy devices.	Total Households = 822 LPG users = 700 Fuel-wood users = 710 Fuel-wood only users =112 Solar Devices users =0	
7. Forest/non forest based livelihoods of the people living in and around the forests are diversified.	a) % of HH reporting diversification of income sources.	Source of income	No of Households
		Govt Service	85
		Jhumming	400
		Horticulture including WRC	200
		Business/Petty Trade	50
		Daily Labourers	70
Others	17		

Chapter - 8 **Status of reforms proposed.**

- 8.1 Role of Gram Sabha (Village Council) in project planning, implementation and monitoring:
- 8.2 Revamping of FDAs and SFDAs
- 8.3 FRAs compliance in areas covered under L2 and L3s
- 8.4 Easing out regulatory framework in felling and transportation of forest produce
- 8.5 Strengthening frontline formation of E&F department

Chapter – 9 **Mission Cost**

9.1 Cost of the Mission:

Year-wise cost of the mission for various work items has been given in the table place din Annexure.

9.2 Mission sustainability:

The mission will be executed with active participation of the local people. On completion of the project, crop productivity of the existing forest will increase substantially. Sustainable extraction of forest produce, value addition to forest produce as well as marketing of value added products will provide livelihood support to the people while maintaining ecological stability in the region. Thus the mission is economically viable and socially adoptable.

Abstract

Table 29	
1. Name of L1 landscape	The State of Mizoram

2. Name of L2 landscape	Serchhip		
3. Forest and non-forest area in L2	Forest area – 22.98 sq km Non-forest area – 3.9 sq km		
4. Drivers of degradation in the landscape	<i>Traditional practice of shifting cultivation, Lack of strategic and participatory land-use planning, excessive population pressure on the forests for fuel-wood, fodder, timber etc., inadequate scientific management of watersheds including rainwater harvesting.</i>		
5. Results of problem analysis			
6. Existing scheme implemented in the landscape	<i>NAP,NBM,MGREGS,RKVY,IAY etc.</i>		
7. Implementing agencies under GIM	<i>Revamped FDA,Thenzawl</i>		
		Proposed funding (Rs in lakhs)	Funding for first year/ First instalment
8. GIM activities			
(A) Submission/Category			
<i>1. Enhancing quality of forest cover and improving ecosystem services (a)Moderately dense Forest cover but showing degradation b)Eco-restoration of degraded open forest type A c) Type C</i>	197.1		115.965/11.07 (CSS) +0.54(SMS)
<i>2. Agro forestry and social-forestry increasing biomass and creating carbon sink. (a)Famers lands including current fallows. (b)highway/rural road/canal/tank bunds</i>	126.9		79.3125/8.883(CSS) +0.99875(SMS)
	75.6		45.36/4.968(CSS)+ 0.11680
<i>3. Enhancing tree cover in urban & peri- urban areas (including institutional lands)Plantation in Govt. offices/residential complex</i>	108.00		56.16/4.644(CSS)+ 0.657(SMS)
<i>4.Eco-system restoration and increase in forest cover (a) Rehabilitation of shifting cultivation.</i>	81.00		54.81/4.59(CSS)+0.54 (SMS)
<i>Sub-total A</i>	588.60		351.6075/34.155(CSS)+2.85255(SMS)
B. Other support activities:			
<i>1. Research and Development 2 % of A</i>	11.77		
<i>2. Publicity /media outreach activities 1 % of A</i>	5.556		
<i>3. Monitoring and Evaluation 1 % of A</i>	5.886		
<i>4. Strengthening local level institutions 5 % of A</i>	29.43		
<i>5. Strengthening FDs' 5 % of A</i>	29.43		
<i>6. Mission organization, operational & maintenance organization 4 % of A</i>	23.544		
<i>Sub-total B</i>	105.946		

C. Livelihood activities: <i>Support to cottage Industries 17 % of A</i>	100.062	
<i>Sub-total C</i>	100.062	
D. Promoting alternative Fuels: <i>Boigas, Solar device, LPG etc. @ Rs 3300/ family</i>	5.94	
<i>Sub-total D</i>	5.94	
Total of (A+B+C+D)	800.548	

References:

- South Asia Bamboo foundation (2010). *1st Draft Report - Master Plan on Bamboo Sector Development in Mizoram for Rural Poverty Eradication, Livelihood Development, and Sustainable Development*. Prepared for Government of Mizoram.
- Department of Environment and Forests, Government of Mizoram (1991). *Progress Report of Forestry in Mizoram 1990*. Aizawl: Membi Press.
- Department of Environment and Forests, Government of Mizoram (2006). *Mizoram Forest 2006*. Aizawl: LM Offset Tuikhuahtlang.
- Environment and Forest Department, Government of Mizoram (2010). *Bamboos of Mizoram*. Dehradun: Print World.
- Forest Survey of India (2013). *India State of Forest Report 2013*. Allied Printers : Dehradun.
- Forest Survey Of India (2011). *Atlas: Forest Types of India*. First Edition. Dehradun: FSI.
- Government of Mizoram (2004). *Statistical Abstract: Department of Agriculture and Minor Irrigation 2003-04*. Aizawl: Directorate of Agriculture and Minor Irrigation, Government of Mizoram.
- Government of Tripura (2007). *Tripura Human Development Report, 2007*. New Delhi : Tulika Print Communication Services. Retrieved through http://planningcommission.nic.in/plans/stateplan/sdr_pdf/tripura%20hdr.pdf on 09.06.2012

Shanon weiner's variable Diversity Index for L-3 Chhiahtlang

No of Sample plots: 20 plots(1, 4, 5, 7, 8, 9, 10, 11, 14, 15, 16, 18, 19, 20, 21, 38, 39, 40, 42, 43)

S I No	Name of Species	Ni	Pi	Ln Pi	-(Pi x LnPi)
1	<i>Schima wallichii</i>	14	0.058577	-2.8377	0.166225
2	<i>Trema orientalis</i>	9	0.037657	-3.27958	0.123499
3	<i>Alseodaphne petiolaris</i>	3	0.012552	-4.37831	0.054958
4	<i>Sapium baccatum</i>	4	0.016736	-4.09059	0.068462
5	<i>Magnolia hodgsonii</i>	1	0.004184	-5.47703	0.022916
6	<i>Cinamonum</i>	2	0.008368	-4.78381	0.040032
7	<i>Erythrina stricta</i>	1	0.004184	-5.47703	0.022916
8	<i>Nghalchhun (Mizo)</i>	2	0.008368	-4.78381	0.040032
9	<i>Ostodes peniculata</i>	4	0.016736	-4.09059	0.068462
10	<i>Albizia procera</i>	1	0.004184	-5.47703	0.022916
11	<i>Macaranga pelteta</i>	5	0.020921	-3.86743	0.080909
12	<i>Macaranga indica</i>	16	0.066946	-2.70416	0.181031
13	<i>Calicarpa arborea</i>	7	0.029289	-3.53092	0.103416
14	<i>Glouchidon khasicum</i>	1	0.004184	-5.47703	0.022916
15	<i>Prunus undulata</i>	1	0.004184	-5.47703	0.022916
16	<i>Engelhartia spicata</i>	1	0.004184	-5.47703	0.022916
17	<i>Celtis timorensis</i>	1	0.004184	-5.47703	0.022916
18	<i>Tectona grandis</i>	10	0.041841	-3.17421	0.132812
19	<i>Gmelina arborea</i>	21	0.087866	-2.43219	0.213707
20	<i>Ficus spp.</i>	4	0.016736	-4.09059	0.068462
21	<i>Artocarpus locucha</i>	15	0.062762	-2.7687	0.173768
22	<i>Lithocarpa dialbata</i>	8	0.033473	-3.39737	0.11372
23	<i>Castranopsis tribuloides</i>	13	0.054393	-2.91182	0.158383

24	<i>Zanthoxylum budrunga</i>	1	0.004184	-5.47703	0.022916
25	<i>Litsea salicifolia</i>	2	0.008368	-4.78381	0.040032
26	<i>Mangifera indica</i>	10	0.041841	-3.17421	0.132812
27	<i>Wendlandia grandis</i>	1	0.004184	-5.47703	0.022916
28	<i>Hamolium bhamoedense</i>	1	0.004184	-5.47703	0.022916
29	<i>Artocarpus integrifolia</i>	3	0.012552	-4.37831	0.054958
30	<i>Corbia fragrantissima</i>	7	0.029289	-3.53092	0.103416
31	<i>Bischofia javanica</i>	10	0.041841	-3.17421	0.132812
32	<i>Toona ciliata</i>	7	0.029289	-3.53092	0.103416
33	<i>Artocarpus chama</i>	4	0.016736	-4.09059	0.068462
34	<i>Bombax ceiba</i>	2	0.008368	-4.78381	0.040032
35	<i>Derris robusta</i>	3	0.012552	-4.37831	0.054958
36	<i>Anogeisus acuminata</i>	2	0.008368	-4.78381	0.040032
37	<i>Biangrei (Mizo)</i>	3	0.012552	-4.37831	0.054958
38	<i>Dryptes lancifolia</i>	3	0.012552	-4.37831	0.054958
39	<i>Haldina cordifolia</i>	3	0.012552	-4.37831	0.054958
40	<i>Ficus religiosa</i>	4	0.016736	-4.09059	0.068462
41	<i>Bombax ceiba</i>	2	0.008368	-4.78381	0.040032
42	<i>Parkia roxburghii</i>	4	0.016736	-4.09059	0.068462
43	<i>Stereospermum colais</i>	3	0.012552	-4.37831	0.054958
44	<i>Garunga pinnata</i>	1	0.004184	-5.47703	0.022916
45	<i>Litsia lancifolia</i>	5	0.020921	-3.86743	0.080909
46	<i>Vernicia foraii</i>	1	0.004184	-5.47703	0.022916
47	<i>Lindera nacusua</i>	1	0.004184	-5.47703	0.022916
48	<i>Ficus spp.</i>	1	0.004184	-5.47703	0.022916
49	<i>Amora wallichii</i>	2	0.008368	-4.78381	0.040032
50	<i>Ficus auriculata</i>	2	0.008368	-4.78381	0.040032
51	<i>Terminalia myriocarpa</i>	1	0.004184	-5.47703	0.022916
52	<i>Durbanga grandiflora</i>	2	0.008368	-4.78381	0.040032
53	<i>Ficus spp.</i>	1	0.004184	-5.47703	0.022916
54	<i>Alseodaphne petiolaris</i>	1	0.004184	-5.47703	0.022916
55	<i>Oroxylum indicum</i>	1	0.004184	-5.47703	0.022916
56	<i>Choerospondias oxillaris</i>	1	0.004184	-5.47703	0.022916
	Total	258			3.59201

Shanon weiner's variable index for L-3 Chhiahtlang =3.59201

Calculation for Carbon Stock for L-3 Chhiahtlang

No of Sample plot: 20 nos

$$\text{GS of L-3 Chhiahtlang} = 70.562 \times 10 = 705.62 \text{ cum/ha}$$

$$705.62 \times 2.41 = 1700.55$$

$$1700.55 / 19 = 89.5 \text{ Tonnes per Ha}$$

$$C_{AGB} = GS_{AGB} \times BCEF \times CF \text{ Tonnes/ha}$$

$$= 89.5 \times 0.95 \times 0.47 \text{ tonne/ha (BCEF, CF = constant)}$$

$$= \mathbf{39.96 \text{ Tonnes/Ha}}$$

$$C_{BGB} = GS_{BGB} \times CF \text{ Tonne/Ha (CF= constant)}$$

$$= 39.96 \times 0.24 \text{ Tonnes/Ha}$$

$$= \mathbf{9.6 \text{ Tonnes/Ha}}$$

$$C_{DWB} = (C_{AGB} + C_{BGB}) \times 0.11 \text{ Tonne/Ha}$$

$$= (39.96 + 9.6) \times 0.11 \text{ Tonne/Ha}$$

$$= \mathbf{5.45 \text{ Tonnes/ha}}$$

$$C_L = 2.71 \text{ Tonnes/ Ha}$$

$$C_S = 57.14 \text{ Tonnes/ Ha}$$

$$C_T = (39.96 + 9.6 + 5.45 + 2.71 + 57.14) \text{ Tonnes/ Ha}$$

$$= 114.86 \text{ Tonnes/ Ha}$$

$$\text{Total Carbon stocks of L-3 Chhiahtlang} = 114.86 \times 1909 = 219267.74 \text{ Tonnes}$$

Revamped VFDC (GIM) Chhiahtlang 2016-18

Chairman :C. Lalrawna Secretary:

Secretary :Zothanpari Zote Fr

Committee members:

- 1.Ex- Officio:**
1. CR Dothanga VCP Chhiahtlang
 2. Lalrinzuali women member VC Chhiahtlang

2.YMA representative: C.Lalremliana

3.MHIP representative: Lalthlamuani

4.Veng/localities representatives :

- 1). F.Lalrinnunga
- 2). Biaknghinglova
- 3). Lalpianmawia
- 4). R.Lalbiakmawia
- 5). T.Rosiama
- 6). Lalnuntluanga
- 7). Lalneihkima Varte
- 8). Vanlalhluti
- 9). Vanlalfima
- 10). T.Sangzuala
- 11) Lalhlupuii
- 12) Lalhmingthanga

**Village Level Green India Mission Committee under L.Tuikum Landscape of
Serchhip Forest Range:-**

Village Level GIM Committee for Chhiahtlang Village :

Chairman : V.Zaithanzuala, Range Officer Serchhip

Member Secretary: Zothanpari Zote, Forester

Members :

1. C.Biakchhawna, JVEO, AH& Vety Deptt.
2. V.Lalbiakdika, VLAA, RD Deptt.
3. Lalbiakzuala, SCFW, S&WC Deptt.
4. R.Lalmuanpuia, HEO, Horticulture Deptt.
5. R.Vanlalhriata, CO, (ICDS) S&W Deptt.
6. John Chakma, SD, Sericulture Deptt.
7. Joseph Zonunsanga, GS, Agriculture Deptt.
8. Kaptluanga, FD, Fishries Deptt.
9. R.Lalhnuna, YMA
- 10.Ramthlamuani, MHIP
- 11.Khuanghnuna, VC Member
- 12.Lalhnehmawia, VC Member
- 13.C.Lalrawna, VFDC
- 14.F.Lalrinnunga, VFDC

**OFFICE OF THE VILLAGE COUNCIL
CHHIAHTLANG**

Keini Chhiahtlang Village Council chuan kan ram
chhungah Green Indian Mission hmalakna hi tha kan tiin
kan rem ti e.



(H.V. HRANGLAWTA)

President
Village Council/ Court
Chhiahtlang & Serchhip District

